

Oak Ridge National Laboratory

Joint Meeting of
User Facility Administrators
and
User Executive Committee Chairs

Cyber Security Update

Oak Ridge National Laboratory
March 8, 2005

OAK RIDGE NATIONAL LABORATORY
U. S. DEPARTMENT OF ENERGY

- Background
 - DOE National Laboratories and User Facilities
 - Information Technology and Cyber Security
- Cyber Security Issues 2003 / 2004
 - Remote Cyber Access
 - Foreign National Access: DOE N 142.3 (draft)
- Cyber Security Issues 2004 / 2005 +
 - DOE Office of Science Cyber Security Plan for 2005 (DOE SC slides)
 - Presidents Management Agenda (DOE SC slides)
 - FISMA: Federal Information Security Management Act (DOE SC slides)
 - HSPD-12: PIV Personal Identity Verification & DOE (DOE SC slides)
 - Foreign National Access: DOE N 142.3 (ORNL)
 - Foreign National Cyber Access directive (draft)



Cyber Security Issues 2004 / 2005 +

DOE Office of Science
Cyber Security Plan for 2005
(DOE SC slides)



Cyber Security Issues 2004 / 2005 +

Presidents Management Agenda (DOE SC slides)



Cyber Security Issues 2004 / 2005 +

FISMA: Federal Information Security
Management Act
(DOE SC slides)

Cyber Security Issues 2004 / 2005 +

HSPD-12: Personal Identity Verification (PIV) (DOE SC slides)



(draft ~1/2005) Streamlining Foreign National Access to DOE Unclassified Automated Information Systems (DOE O 205.1-X)

- Directive development out of the DOE OCIO
- Comment coordination between various offices, including NNSA and SC
 - CI review required
 - Indices checks
 - FACTS will be utilized
 - ID verified
 - Security Plan required
 - Monitoring / Auditing
 - e-signatures and email identifiers
 RIDGE NATIONAL LABORATORY

- No access for sensitive country FN to sensitive sytsems
- SME reviews
- security plans
- certification and accreditation
- concurrence by CI and Information Security

ORNL's New Graded Approach for DOE Order 142.3

	Nonsensitive	Sensitive	Terrorist Sensitive
Nonsensitive Information and nonsecure area	~1700 of 2600 (65%)	~900 of 2600 (34%)	4 of 2600 (0.1%)
	AA, 4 SME & host reviews. No indices req. Entered into FACTS	AA, 4 SME & host reviews. Completed indices req. for assignees	Sec. of Energy Approval
	but no AA or SME review No indices req.	AA, 2 SME, & host review. Completed indices not req.	Sec. of Energy Approval
Sensitive information and secure area	14 of 2600 requests (0.5%)	28 of 2600 requests (1%)	0 of 2600
	AA, 4 SME & H reviews Completed indices req.	AA, 4 SME & H reviews Completed indices req.	Sec. of Energy Approval
	AA, 5 SME & H review Completed indices req.	AA, 5 SME & H review Completed indices req.	Sec. of Energy Approval



Implementing Graded Approach

	Nonsensitive		Sensitive	
GOAL	Entered into FACTS but no AA or SME review. No indices req. ~1700 of 2600 (65%)		AA, 2 SME, & host review. Completed indices not req. ~900 of 2600 (34%)	
Nonsensitive Information and nonsecure area	35% of the 1700 eliminated from Export Control by PRA/EXT/Open	86% of 1700 Require no Host Agreement	42% of 900 eliminated from Export Control	100% of 900 CI needs a Host Agreement (this will be a work- flow with about 5 requirements the host will agree to do if the FN accesses the site without completed indices)
	Export Control will review 65% of the 1700		Export Control will review 58% of the 900	

^{*} Increased diligence due to CI's counterterrorism requirements for 15 nonsensitive countries

OAK RIDGE NATIONAL LABORATORY U. S. DEPARTMENT OF ENERGY



Details of Implementing Graded Approach

	Nonsensitive		Sensitive	
GOAL	Entered into FACTS but no AA or SME review. No indices req. ~1700 of 2600 (65%)		AA, 2 SME, & host review. Completed indices not req. ~900 of 2600 (34%)	
Nonsensitive Information and nonsecure area	35% of the 1700 eliminated from Export Control by PRA/EXT/Open	86% of 1700 Require no Host Agreement	42% of 900 eliminated from Export Control	100% of 900 CI needs a Host Agreement (this will be a work- flow with about 5 requirements the host will agree to do if the FN accesses the site without completed indices)
	Export Control will review 65% of the 1700		Export Control will review 58% of the 900	

^{*} Increased diligence due to Cl's counterterrorism requirements for 15 nonsensitive countries

OAK RIDGE NATIONAL LABORATORY U. S. DEPARTMENT OF ENERGY

